


Name: _____ Class: _____ Date: _____



Sec 3 Physics

Worksheet 2: Refraction & Total Internal Reflection

- 1 The figure shows a slab of glass of uniform thickness, lying horizontally. Above it is a layer of water. A ray of light **PQ** is incident upwards on the lower surface of the glass and is refracted successively at **A**, **B** and **C**, the points where it crosses the interfaces. Calculate




(a) angle x ; [1]

(b) angle y ; [2]

(c) the relative refractive index for light passing from the water to glass.
($n_{\text{glass}} = 1.50$, $n_{\text{water}} = 1.33$.) [1]

- 2 The diagram shows the structure of a simple periscope used at sporting events to see over the heads of the crowd.



(a) When the periscope is in use, total internal reflection occurs at one surface of each prism. Indicate this surface for one of the prisms by a letter "S" on the diagram.

[1]

(b) Complete the path of the two rays through the periscope to the eye.

[1]

- (c) Explain why these paths are not affected by the colour of the light.

.....
..... [1]

- (d) Is the image the upright or inverted? Justify your answer.

.....
..... [2]

- (e) In choosing a material for the prism, the critical angle of the material must be less than 45° . What is the smallest possible refractive index for the material of the prism?

[J88/2/3]

- 3 A ray of light is incident at an angle of 60° at the mid-point O of the plane face AB of a semi-circular glass block as shown in figure 3.1.




Figure 3.1

- (a) Calculate the angle of refraction of this ray at O, given that the refractive index of the glass is 1.5. Draw the path of this ray from O on Figure 3.1 and continue its path until it has emerged into the air. [3]

- (b) Calculate the critical angle for the glass-air boundary. [2]

- (c) (i) On Figure 3.2 below, draw the path of a ray which travels through the glass to O in such a way that it strikes the surface AB at an angle of incidence equal to the critical angle. Label the critical angle and continue the path of this ray it has struck the surface AB at O. [1]
- (ii) On Figure 3.3 below, draw the complete path of a ray directed towards O which undergoes total internal reflection at the surface AB. [1]




Fig. 3.2





Fig. 3.3

4

College Phy., 9th ed, ch23, p40


A laser beam shines along the surface of a block of transparent material. Half of the beam goes straight to a detector, while the other half travels through the block and then hits the detector. The time delay between the arrivals of the two light beams at the detector is 6.25 ns. What is the index of refraction of this material? [3]

$$c = 3.00 \times 10^8 \text{ ms}^{-1}$$



- 5 You (height of your eyes above the water, 1.75 m) are standing 2.00 m from the edge of a 2.50-m-deep swimming pool. You notice that you can barely see your cell phone, which went missing a few minutes before, on the bottom of the pool. How far from the side of the pool is your cell phone? [3]


College Phy., 9th ed, ch23, p42



Halliday, 9th ed, ch34, p55


- 6 A 2.00-m-long vertical pole extends from the bottom of a swimming pool to a point 50.0 cm above the water.

Sunlight is incident at angle $\theta = 55.0^\circ$. What is the length of the shadow of the pole on the level bottom of the pool? [3]



- 7 (a) Explain what is meant by total internal reflection.

.....
..... [3]




- (b) The diagram shows the paths of two rays of light from a bright object O on the bottom of a swimming pool to the surface.
- (i) Sketch the paths of the rays as they emerge from the water and travel towards the eye of an observer standing on the right-hand side of the pool. [1]
 - (ii) Indicate on the diagram, using any necessary construction lines, where the observer sees the image of the object. [1]
 - (iii) Draw on the diagram the paths of two other rays of light from the object, one of which strikes the water surface at an angle of incidence equal to the critical angle and the other at an angle of incidence greater than the critical angle. [2]
 - (iv) Given that the refractive index of water is 1.33, calculate a value for the critical angle of water. [2]

- (c) Draw a diagram to illustrate how a light pipe (optic fibre) makes use of total internal reflection. [2]

- 8 An optical fibre consists of an outer “cladding” layer and an inner core with a slightly higher index of refraction. Light rays entering the core are trapped inside by total internal reflection and forced to travel along the fibre (see Figure). Suppose the cladding has an index of refraction of 1.44 and the core has an index of refraction of 1.46. Calculate the largest angle between a light ray and the longitudinal axis of the fibre (see the figure) for which the ray will be totally internally reflected at the core cladding boundary.

College Phy., 9th ed, ch23, p51




[3]

- 9 (a) Light travels from one optical medium to another. State the conditions necessary for total internal reflection to occur at the boundary between the two media.

.....
..... [2]

- (b) Light is incident on a small scratch in the surface of an optical fibre of refractive index 1.5. The angle between a ray of incident light and the surface of the scratch is 68° as shown below.



- (i) Calculate the angle of refraction of the ray at the surface of the scratch.
-
-
- [2]
- (ii) On the diagram, draw a sketch of the path of the ray as it emerges from the surface of the scratch. [1]
- (c) By reference to (b) (ii), suggest and explain **one** reason why, in practice, optical fibres have an outer covering.
-
-
- [2]
- (d) State and explain **two** reasons why lasers are used as light sources for optical fibres.
1.
-
- [2]
2.
-
- [2]