

Name: _____ Class: _____ Date: _____




Sec 3 Physics

Worksheet 3: Reflection, refraction and lenses

Reflection

- 1 The diagram, drawn to scale, shows a very small bright light at S shining into a darkened room through a window set in a vertical wall. A scale is marked in metres on the floor as shown.

- a (i) Draw **two** rays to show the limits of the bright patch on the scale and measure the length of the scale that is illustrated. [1]




Length of bright patch = _____ [1]

- (ii) Which property of light rays does this example demonstrate?

..... [1]

- b The window is now covered with a plane mirror as shown below.




- (i) Show how two rays from S are reflected by the mirror and use them to locate the image of S.

Mark clearly the position of the image of S. [2]

(ii) Write down **one** characteristic of this image.

..... [1]

- 2 The diagram shows two mirrors X and Y, and a solid object with a coloured spot at O, the centre of its left hand face.




- a An eye at A sees an image of O resulting from the reflection at the mirror X. Mark I, the position of this image, and draw a ray from O to the eye at A. [1]
- b When the eye is moved to B, it sees an image of O resulting from reflections at *both* mirrors. Draw a ray of light from O which enables the eye at B to see this image. [2]

Refraction

- 3 a With the aid of a suitable diagram define the term refractive index as applied to an optical material.

[2]

The diagram below shows the path followed by a ray of red light that is incident on one face of a glass prism at an angle θ to the normal.




- b (i) The red light is now replaced by blue light. On the diagram sketch the corresponding path followed by a ray of blue light incident at the same angle θ . [3]
- (ii) State and explain whether the refractive index for red light in the glass is greater than, equal to or less than the refractive index for blue light.

[1]

4 This question is about optical dispersion.

The graph below shows the variation with wavelength λ of the speed v of light in one type of glass.



- a** Use data from the graph to determine, to the correct number of significant digits, the refractive index for blue light of wavelength 400 nm in this type of glass.

(free space speed of light $c = 2.9979 \times 10^8 \text{ m s}^{-1}$)


[2]

- b** The refractive index of red light of wavelength 650 nm in this type of glass is about 1.52. Use this fact and your answer in (a) to explain optical dispersion.

[2]

- 5 This question is about refractive index and critical angle.


The diagram below shows the boundary between glass and air.



- a On the diagram, draw a ray of light to illustrate what is meant by critical angle. Mark the critical angle with the letter "c".

[3]

A straight optic fibre has length 1.2 km and diameter 1.0 mm. Light is reflected along the fibre as shown below.



At each reflection, the angle of incidence is equal in value to the critical angle. The refractive index of the glass of the fibre is 1.5.

- b Deduce that the length of the light path along the optic fibre is about 1.8 km.

The speed of light in the fibre is $2.0 \times 10^8 \text{ m s}^{-1}$.

- c Calculate the time for a pulse of light to travel the length of the fibre when its path is
- (i) along the axis of the fibre.


[1]

(ii) as calculated in (b).

[1]


6 This question is about refractive index.

Light from a laser is directed at a semi-circular glass block. The light passes undeviated through the block and on to a screen, forming a spot at A as shown.



The semi-circular block is rotated about the point P. The spot of light on the screen is seen to move downwards. When the spot reaches point B, it disappears.

a Complete the diagram below to show the position of the semi-circular block when the spot is at point B. The original position of the block is shown as a dotted line.



[1]

In a particular experiment, the distance PA is 120 cm and distance AB is 138 cm.

b Calculate the refractive index of the glass of the block.


[3]

The laser is changed for one emitting light of higher frequency. The experiment is then repeated.

- c State and explain whether the distance AB will be greater or less than 138 cm.

[3]

- 7 A bird is hovering above a pond. A fish is in the pond at the position shown in the diagram below.



- a Draw rays on the diagram above to locate the position of the image of the fish as seen by the bird.

[3]

- b Explain whether the image of the fish is real or virtual.

[1]

- c The fish is 48 cm below the surface of the pond. The bird hovers vertically above the fish. Calculate the apparent depth of the fish. The refractive index of water is 1.3.


[2]

8 This question is about dispersion and refractive index.

a State and explain what is meant by the dispersion of white light.

[2]

b A narrow beam of light is incident from glass on a boundary between glass and air as shown below.



The beam consists of a mixture of red and blue light.

(i) On the diagram above, draw labelled rays to show the path of the red and blue light in air.

[2]

(ii) The refractive index of glass for the red light is 1.52. Calculate the maximum angle of incidence on the glass air boundary for the red light to pass into the air.


[2]

(iii) Explain whether the blue light would pass into the air for the angle calculated in (ii).

[2]

9 This question is about refraction and dispersion.

- a** A thin beam of white light is incident on one surface of a glass prism as shown below.




On the diagram above, draw lines to show the approximate paths of the red and of the blue light as it passes through the prism and back into the air.

[3]

- b** State and explain, with reference to your diagram, whether the refractive index of glass for blue light is greater or less than that for red light.

[3]

- c** A second similar prism is placed close to the first prism in (b) as shown below.



Suggest the appearance and the direction of the light that emerges from the second prism.

[2]

- 10 a Define refractive index.

[1]


- b In a certain medium, the speed of light of a particular frequency is $2.1 \times 10^8 \text{ m s}^{-1}$. Calculate the refractive index of the medium for this frequency.

[2]

- c With reference to your answer in (b), describe what is meant by optical dispersion.

[3]

- 11 a The diagram below shows a ray of monochromatic light incident on the boundary between two media. The dotted line is the normal to the boundary.



The refractive index of medium 1 is n_1 and that of medium 2 is n_2 and $n_1 > n_2$. The ray is incident at an angle to the normal that is less than the critical angle.

- (i) Explain what is meant by critical angle.

[2]

- (ii) On the diagram above, draw lines to show the paths of the ray after it is incident on the boundary. [2]
- b Derive a relationship between n_1 , n_2 and the critical angle ϕ_c . [2]

Lenses

12 This question is about the human eye.

The human eye produces images of objects that are placed between the near point and the far point of the eye.

a (*not in syllabus*) Explain what is meant by

(i) *near point*.

_____ [1]

(ii) *far point*.

_____ [1]

(iii) Deduce from the answers in part (a) (i) and (a) (ii), which point refers to the condition of myopia and presbyopia.

_____ [1]

The optical working of the eye may be modelled as a single lens of variable focal length. In this model, when the eye is focused on a distant object which is not on the principal axis, the eye lens has a focal length of 1.7 cm.

- b (i) Draw a labelled ray diagram to show how the eye lens forms an image of the distant object. (*Note: this is a sketch and does not need to be drawn to scale.*)

[3]

- (ii) State the distance from the lens to the image.

_____ [1]

To focus on an object 50 cm away from the eye, the eye lens in the model changes shape to change its focal length. This enables the image distance to remain the same for all object distances.

- c (i) Determine the new focal length of the eye lens.

_____ [2]

- (ii) Suggest what change takes place in the shape of the lens in this model. Explain your answer.

_____ [2]

In the human eye most of the refraction actually takes place due to the change of medium from air to the cornea (the transparent structure at the front of the eye). The following refractive indices are known.

Material	Refractive index
air	1.00
cornea	1.34
water	1.33

- d (i) Explain what is meant by *refractive index*.


_____ [2]

- (ii) Use the information to suggest why it is impossible for a person to see objects clearly when swimming underwater.

[2]

13 This question is about converging lenses.

- a** The diagram shows a small object O represented by an arrow placed in front of a *converging lens* L. The focal points of the lens are labelled F.



- (i) Define the *focal point* of a converging lens.

[2]

- (ii) On the diagram above, draw rays to locate the position of the image of the object formed by the lens.

[3]

(iii) Explain whether the image is real or virtual.

[1]

b A convex lens of focal length 6.25 cm is used to view an ant of length 0.80 cm that is crawling on a table. The lens is held 5.0 cm above the table.

(i) Calculate the distance of the image from the lens.


[2]

(ii) Calculate the length of the image of the ant.

[2]

14 (Not in syllabus) This question is about image formation by lenses

The diagram below shows the positions of two convex lenses L_1 and L_2 used in an optical instrument. F_1 and F_2 are the principal foci of L_1 and L_2 respectively. The object O is viewed through the two lenses.



The diagram also shows two rays from the object O to the position of the image I_1 produced in the lens L_1 .

a (i) Mark the position of the other principal focus of lens L_2 . Label this position F_2 . [1]

(ii) The image I_1 acts as an object for the lens L_2 . Draw two construction rays to locate the position of the image I_2 formed by lens L_2 . Label this image I_2 . [3]

b State and explain whether the image I_2 is real or virtual.

_____ [1]

c State the name of this optical instrument.

_____ [1]

d State

(i) the change, if any, in the positions of the lenses so that the final image in (a) (ii) is formed at infinity;

_____ [2]


(ii) why the image, formed at infinity, is magnified.

_____ [1]

15 This question is about magnification.

An object is placed 3.0 cm from a converging (convex) lens of focal length 5.0 cm.

a On the diagram below, draw rays to locate the position of the image produced by the lens.



- b** On the diagram above, mark with the letter E, the position from which the image should be viewed. [1]

- c** Use your ray diagram above to calculate the magnification of the image.

[2]

- d** For high magnification, a compound microscope may be used. This microscope consists of an objective lens and an eyepiece lens.


- (i)** State the type of lens used as both the objective lens and the eyepiece lens.

[1]

- (ii)** The magnification produced by the objective lens is 24. The image of the object produced by this lens is formed 3.4 cm from the eyepiece lens of focal length 4.0 cm. Determine the magnification of the final image produced by the microscope.

[4]

- 16** The diagram below shows a thin converging lens and an object, O.




The principal foci of the lens are at F.

- a** Construct rays to locate the position of the image of the object. [3]
b Describe fully the nature of the image formed.

[2]

- 17** This question is about image formation by a converging lens.

An object P is placed close to a converging lens as shown in the diagram below. The principal foci F of the lens are marked.



- a** On the diagram above, draw rays to locate the position of the image formed by the lens. Label this image with the letter I. [3]

- b** The near point of an observer's eye is 25.0 cm from the eye. The lens in the diagram is positioned 4.0 cm from the lens in the observer's eye so as to form an image of the object P at the near point. The focal length of the lens is 8.0 cm.

(i) Determine the distance from the object to the lens.

[3]

- c** (i) (*Not in syllabus*) Lenses are subject to chromatic aberration and spherical aberration.

Describe and explain chromatic aberration and spherical aberration.

Chromatic aberration: _____

_____ [2]

Spherical aberration: _____

_____ [2]

- (ii) Suggest how the effects of spherical aberration can be reduced.

_____ [1]

18 This question is about image formation by a converging lens.

- a** Define the *principal focus (focal point)* of a converging lens.


_____ [2]

- b** An object is placed 30 cm in front of a converging lens of focal length 15 cm. The object is moved 5.0 cm closer to the lens. Determine the displacement of the image.

[4]

19 This question is about image formation.

- a** A converging lens L has principal foci at F. An object O is placed in front of the lens as shown below.



- (i)** Define *principal axis* and *principal foci*.

Principal axis: _____
_____ [1]

Principal foci: _____
_____ [1]


- (ii)** On the diagram above, construct rays to locate the position of the image formed by the lens. [2]

(iii) Explain whether the image is real or virtual.

[2]

College Phy., 9th ed, ch24, p55

- 20** A small plant near a thin lens. The ray shown is one of the principal rays for the lens. Each square is 2.0 cm along the horizontal direction, but the vertical direction is not to the same scale. Use information from the diagram to answer the following questions:



- a** Using only the ray shown, decide what type of lens (converging or diverging) this is. [1]
- b** What is the focal length of the lens? [1]
- c** Locate the image by drawing the other two principal rays. [3]
- d** Calculate where the image should be, and compare this result with the graphical solution in part (c). [2]